




ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2541	8.00	0.90	0.054	25.13	6063-T5
2576	8.00	1.00	0.060	25.13	6060-T6
2556	9.50	0.90	0.066	29.85	6063-T5
2574	10.00	1.00	0.077	31.42	6060-T6
2571	12.00	1.00	0.094	37.70	6060-T6
2127	12.00	1.72	0.151	37.70	6063-T4
2501	12.70	0.90	0.100	39.90	6063-T5
2399	12.70	1.50	0.143	39.90	6063-T5
2311	12.70	1.65	0.155	39.90	6061-T6511
2397	12.70	3.00	0.248	39.90	6061-T6
2540	14.30	1.99	0.208	44.92	6063-T5
2572	15.00	1.00	0.119	47.12	6060-T6
2336	15.88	1.00	0.127	49.89	6063-T5
2502	15.88	1.20	0.149	49.89	6063-T5
2324	15.88	1.20	0.150	49.89	6082-T6
2542	15.88	1.50	0.184	49.89	6063-T5
2332	15.88	1.65	0.200	49.89	6061-T6511
2128	15.88	1.75	0.211	49.89	6063-T4
2359	16.00	1.20	0.151	50.27	6060-T6
2349	16.00	1.50	0.185	50.27	6060-T5
2544	16.50	4.50	0.460	51.84	6063-T5
2126	17.15	2.31	0.292	53.88	6061-T6511
2351	17.36	1.00	0.139	54.54	6063-T5
2360	19.00	1.20	0.182	59.69	6060-T6
2555	19.05	0.90	0.160	59.85	6063-T5



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2503	19.05	1.00	0.153	59.85	6063-T5
2337	19.05	1.32	0.199	59.85	6063-T5
2321	19.05	1.40	0.211	59.85	6063-T5
2562	19.05	1.57	0.234	59.85	6063-T5
2312	19.05	1.65	0.245	59.85	6061-T6511
2529	19.05	2.00	0.291	59.85	6063-T5
2330	19.05	3.00	0.410	59.85	6061-T6
2103	19.05	3.175	0.430	59.85	6063-T52
2573	20.00	1.00	0.162	62.83	6060-T6
2118	20.00	1.50	0.236	62.83	6082-T6
2424	20.00	2.00	0.307	62.83	6060-T66
2492	21.34	2.77	0.438	67.03	6061-T6
2303	21.34	3.73	0.560	67.03	6061-T6
2490	22.00	2.00	0.341	69.12	6063-T5
2386	22.20	1.10	0.198	69.74	6063-T5
2506	22.23	0.80	0.146	69.84	6063-T5
2526	22.23	1.00	0.181	69.84	6063-T5
2115	22.23	1.65	0.289	69.84	6063-T52
2130	22.23	3.18	0.516	69.84	6061-T6511
2507	22.23	3.18	0.515	69.84	6063-T5
2550	22.83	1.50	0.273	71.72	6063-T5
2113	23.00	1.50	0.293	72.26	6063-T4
2131	24.00	1.60	0.305	75.40	6063-T5
2317	25.00	1.10	0.224	78.54	6063-T6
2575	25.00	1.50	0.300	78.54	6060-T6



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2358	25.00	3.00	0.562	78.54	6060-T6
2509	25.40	1.00	0.208	79.50	6063-T5
2385	25.40	1.10	0.228	79.80	6063-T5
2508	25.40	1.30	0.266	79.80	6063-T5
2558	25.40	1.40	0.286	79.80	6063-T5
2382	25.40	1.50	0.306	79.80	6063-T5
2533	25.40	1.59	0.323	79.80	6063-T5
2300	25.40	1.65	0.334	79.80	6061-T6
2563	25.40	1.80	0.362	79.80	6063-T52
2423	25.40	2.90	0.556	79.80	6061-T6
2510	25.40	3.18	0.601	79.80	6063-T5
2498	25.40	3.18	0.602	79.80	6061-T6511
2407	25.40	4.50	0.802	79.80	6061-T6
2408	25.40	6.00	0.992	79.80	6061-T6
2100	25.40	6.35	1.031	79.80	6061-T6511
2491	26.67	2.87	0.582	83.79	6061-T6
2590	26.67	2.87	0.582	83.79	6063-T6
2107	26.67	3.91	0.758	83.79	6061-T6511
2565	27.30	1.50	0.330	85.77	6063-T5
2342	28.58	4.50	0.923	89.79	6061-T6
2379	28.58	6.04	1.160	89.79	6061-T6511
2116	28.70	1.20	0.281	90.16	6063-T5
2527	29.50	1.00	0.243	92.68	6063-T5
2539	30.00	1.30	0.318	94.25	6063-T5
2123	30.20	2.20	0.525	94.88	6061-T6



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2483	31.75	1.10	0.287	99.75	6063-T5
2511	31.75	1.40	0.362	99.75	6063-T5
2534	31.75	1.59	0.409	99.75	6063-T5
2108	31.75	1.65	0.423	99.75	6063-T52
2564	31.75	1.80	0.459	99.75	6063-T5
2586	31.75	2.64	0.655	99.75	6082-T6
2476	31.75	2.80	0.691	99.75	6063-T5
2598	31.75	2.90	0.713	99.75	6061-T6
2512	31.75	3.18	0.772	99.75	6063-T5
2308	31.75	3.18	0.773	99.75	6061-T6511
2488	31.75	4.50	1.045	99.75	6082-T6
2409	31.75	6.00	1.317	99.75	6061-T6
2361	32.00	1.60	0.415	100.53	6060-T6
2362	32.00	3.00	0.741	100.53	6060-T6
2357	32.00	4.50	1.055	100.53	6061-T5
2106	32.00	8.75	1.734	100.53	6061-T6
2528	33.00	1.00	0.273	103.67	6063-T5
2393	33.00	1.50	0.403	103.67	6061-T6
2549	33.00	1.50	0.403	103.67	6063-T5
2119	33.00	1.90	0.504	103.67	6061-T6
2117	33.00	1.80	0.479	103.67	6061-T6
2111	33.00	2.20	0.577	103.67	6061-T6
2481	33.40	1.50	0.408	104.93	6063-T5
2578	33.40	3.38	0.865	104.93	6061-T6
2302	33.40	4.55	1.117	104.93	6061-T6



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2352	33.50	4.60	1.147	105.24	6061-T6
2384	33.50	4.75	1.164	105.24	6061-T6
2557	33.50	10.00	2.028	105.24	6061-T6
2462	34.00	5.00	1.236	106.81	6082-T6
2350	34.93	11.12	2.256	109.74	6061-T6
2425	35.00	5.00	1.278	109.96	6060-T66
2129	35.50	1.50	0.435	111.53	6063-T5
2383	36.00	10.00	2.216	113.10	6082-T6511
2122	36.60	2.20	0.645	114.98	6061-T6
2513	38.00	1.50	0.467	119.38	6063-T5
2394	38.00	1.50	0.467	119.38	6061-T6
2120	38.00	1.90	0.585	119.38	6061-T6
2125	38.00	2.00	0.614	119.38	6063-T5
2110	38.00	2.20	0.671	119.38	6061-T6
2545	38.10	1.20	0.377	119.69	6063-T5
2494	38.10	1.65	0.512	119.69	6061-T6
2474	38.10	2.00	0.615	119.69	6063-T5
2102	38.10	2.41	0.734	119.69	6061-T6511
2480	38.10	2.80	0.842	119.69	6063-T5
2589	38.10	3.00	0.897	119.69	6061-T6
2515	38.10	3.18	0.943	119.69	6063-T5
2322	38.10	3.18	0.945	119.69	6061-T6511
2314	38.10	3.25	0.965	119.69	6082-T6
2410	38.10	4.50	1.289	119.69	6061-T6
2422	38.10	5.90	1.619	119.69	6061-T6



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2411	38.10	6.00	1.641	119.69	6061-T6
2398	38.10	6.35	1.718	119.69	6061-T6511
2463	38.10	12.70	2.749	119.69	6061-T6
2426	40.00	2.50	0.799	125.66	6060-T66
2363	40.00	3.00	0.946	125.66	6060-T6
2356	40.00	4.50	1.361	125.66	6061-T5
2531	41.00	3.00	0.971	128.81	6063-T5
2427	42.00	3.00	0.997	131.95	6060-T66
2579	42.16	3.56	1.171	132.45	6061-T6
2334	42.16	4.85	1.542	132.45	6061-T6511
2395	43.00	1.50	0.530	135.09	6061-T6
2477	43.00	1.75	0.615	135.09	6061-T6
2121	43.00	1.90	0.669	135.09	6061-T6
2112	43.00	2.20	0.765	135.09	6061-T6
2387	43.50	1.73	0.616	136.66	6061-T6
2472	44.45	2.80	0.994	139.64	6063-T5
2366	44.45	3.25	1.141	139.64	6060-T4
2597	44.45	4.50	1.532	139.64	6082-T6
2489	44.45	6.00	1.966	139.64	6082-T6
2343	44.45	6.35	2.062	139.64	6082-T6511
2478	44.45	11.11	3.157	139.64	6082-T6
2373	45.00	1.50	0.556	141.37	6061-T6511
2133	47.63	1.60	0.628	149.62	6061-T6
2331	47.70	13.95	4.021	149.85	6063-T5
2428	48.00	3.00	1.151	150.80	6060-T66



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2475	48.00	4.00	1.500	150.80	6060-T5
2554	48.26	3.68	1.392	151.61	6063-T5
2580	48.26	3.68	1.398	151.61	6061-T6
2374	48.26	3.68	1.520	151.61	6061-T6
2320	48.26	5.08	1.869	151.61	6061-T6511
2124	48.41	4.47	1.674	152.08	6063-T4
2420	48.42	4.50	1.684	152.12	6082-T6
2467	50.00	1.50	0.620	157.08	6060-T66
2525	50.00	2.00	0.818	157.08	6063-T5
2568	50.00	2.00	0.818	301.59	6061-T6
2364	50.00	3.00	1.202	157.08	6060-T6
2547	50.00	4.00	1.568	157.08	6063-T5
2325	50.00	4.00	1.568	157.08	6082-T6
2518	50.80	1.50	0.661	159.59	6063-T5
2323	50.80	1.65	0.692	159.59	6061-T6511
2519	50.80	2.03	0.844	159.59	6063-T5
2473	50.80	2.80	1.145	159.59	6063-T5
2400	50.80	2.90	1.184	159.59	6061-T6
2388	50.80	3.05	1.241	159.59	6061-T6511
2520	50.80	3.18	1.286	159.59	6063-T5
2418	50.80	3.18	1.291	159.59	6082-T6
2315	50.80	3.25	1.317	159.59	6082-T6
2412	50.80	4.50	1.776	159.59	6061-T6
2532	50.80	4.75	1.864	159.59	6063-T5
2413	50.80	6.00	2.290	159.59	6061-T6



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2338	50.80	6.35	2.405	159.59	6082-T6511
2448	50.80	9.52	3.349	159.59	6061-T6
2444	50.80	12.70	4.124	159.59	6061-T6
2340	51.00	12.00	3.988	160.22	6061-T6511
2316	56.80	3.00	1.375	178.44	6082-T6
2553	57.00	8.50	3.513	179.07	6063-T5
2577	57.15	6.35	2.749	179.54	6061-T6
2530	59.70	1.90	0.936	187.55	6063-T5
2365	60.00	2.00	0.989	188.50	6060-T4
2470	60.00	2.50	1.225	188.50	6063-T5
2431	60.00	3.00	1.457	188.50	6060-T66
2548	60.00	4.00	1.909	188.50	6063-T5
2468	60.00	5.00	2.343	188.50	6061-T6
2339	60.00	15.00	5.752	188.50	6061-T6511
2134	60.33	1.60	0.801	189.52	6061-T6
2306	60.33	3.91	1.880	189.52	6063-T52
2581	60.33	3.91	1.880	189.53	6061-T6
2304	60.33	5.54	2.586	189.53	6061-T6
2392	60.33	9.53	4.126	189.53	6061-T6
2538	61.00	2.00	1.006	191.64	6063-T5
2499	63.50	1.65	0.870	199.49	6061-T6
2559	63.50	2.00	1.048	199.49	6063-T5
2484	63.50	2.80	1.448	199.49	6063-T5
2487	63.50	3.00	1.547	199.49	6082-T6
2566	63.50	3.18	1.635	199.49	6063-T5



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2380	63.50	4.00	2.028	199.49	6063-T4
2414	63.50	4.50	2.262	199.49	6061-T6
2588	63.50	6.00	2.940	199.49	6061-T6
2327	63.50	6.35	3.093	199.49	6082-T6511
2449	63.50	9.52	4.379	199.49	6061-T6
2450	63.50	12.70	5.498	199.49	6061-T6
2135	66.68	1.60	0.887	209.47	6061-T6
2535	67.20	2.00	1.111	211.12	6063-T5
2432	70.00	5.00	2.770	219.91	6060-T66
2582	73.03	5.16	2.984	229.43	6061-T6
2301	73.03	7.01	3.944	229.41	6061-T6
2495	76.20	1.65	1.048	239.39	6061-T6
2543	76.20	1.70	1.079	239.39	6063-T5
2485	76.20	2.80	1.751	239.39	6063-T5
2461	76.20	3.00	1.871	239.39	6061-T6
2551	76.20	3.18	1.979	239.39	6063-T5
2587	76.20	3.18	1.979	239.39	6082-T6
2318	76.20	4.50	2.750	239.39	6061-T6
2560	76.20	4.75	2.892	239.39	6063-T5
2599	76.20	5.90	3.535	239.39	6061-T6
2415	76.20	6.35	3.780	239.39	6061-T6
2447	76.20	9.52	5.409	239.39	6061-T6
2464	76.20	10.00	5.641	239.39	6061-T6
2403	76.20	12.70	6.872	239.39	6061-T6
2344	76.20	19.05	9.278	239.39	6082-T6511



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2469	80.00	6.00	3.783	251.33	6061-T6
2479	85.00	11.50	7.203	267.04	6061-T6
2309	88.90	3.05	2.230	279.29	6061-T6511
2585	88.90	4.50	3.237	279.29	6061-T6
2570	88.90	4.75	3.406	279.29	6063-T5
2471	88.90	5.49	3.902	279.29	6082-T6
2436	88.90	6.00	4.239	279.29	6061-T6
2445	88.90	6.35	4.467	279.29	6061-T6
2326	88.90	7.62	5.278	279.29	6061-T6511
2446	88.90	9.52	6.440	279.29	6061-T6
2443	88.90	12.70	8.247	279.29	6061-T6
2536	89.00	3.00	2.199	279.60	6063-T5
2457	90.00	10.00	6.817	282.74	6061-T6
2136	95.25	1.80	1.433	299.24	6061-T6
2328	100.00	2.00	1.670	314.16	6063-T6
2486	101.60	2.80	2.358	319.19	6063-T5
2466	101.60	3.00	2.521	319.19	6061-T6
2567	101.60	3.18	2.667	299.21	6063-T5
2419	101.60	3.18	2.667	319.19	6082-T6
2421	101.60	4.50	3.723	319.19	6061-T6
2552	101.60	4.75	3.920	319.19	6063-T5
2313	101.60	5.74	4.689	319.19	6061-T6511
2401	101.60	6.00	4.888	319.19	6061-T6
2416	101.60	6.35	5.154	319.19	6061-T6
2109	101.60	8.08	6.440	319.19	6061-T6511



ROUND TUBE

Group No.:

RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2451	101.60	9.52	7.470	319.19	6061-T6
2440	101.60	10.00	7.806	319.19	6061-T6
2404	101.60	12.70	9.622	319.19	6061-T6
2345	101.60	19.05	13.401	319.19	6082-T6511
2341	101.60	25.40	16.494	319.19	6061-T6511
2537	113.80	3.50	3.290	357.51	6063-T5
2460	114.30	3.00	2.845	359.08	6061-T6
2310	114.30	3.05	2.890	359.08	6061-T6511
2569	114.30	4.75	4.435	359.08	6063-T5
2402	114.30	6.00	5.537	359.08	6061-T6
2305	114.30	6.02	5.554	359.08	6061-T6
2452	114.30	6.35	5.842	359.08	6061-T6
2333	114.30	8.56	7.714	359.08	6061-T6511
2453	114.30	9.52	8.501	359.08	6061-T6
2438	114.30	12.70	10.996	359.08	6061-T6
2307	127.00	2.80	2.963	398.98	6063-T5
2437	127.00	3.00	3.170	398.98	6061-T6
2496	127.00	3.18	3.356	398.98	6061-T6
2319	127.00	4.75	4.949	398.98	6063-T5
2434	127.00	6.00	6.187	398.98	6061-T6
2417	127.00	6.35	6.529	398.98	6061-T6
2454	127.00	9.52	9.531	398.98	6061-T6
2405	127.00	12.70	12.371	398.98	6061-T6
2346	127.00	25.40	21.992	398.98	6082-T6511
2367	139.70	3.18	3.700	438.88	6061-T6



ROUND TUBE

Group No.:
RT-G1




SECTION NO.	D (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
2458	139.70	6.00	6.836	438.88	6061-T6
2455	139.70	9.52	10.561	438.88	6061-T6
2439	139.70	12.70	13.745	438.88	6061-T6
2375	141.30	6.55	7.522	443.91	6061-T6
2377	141.30	9.53	10.702	443.91	6061-T6
2433	150.00	5.00	6.178	471.24	6060-T66
2429	150.00	20.00	22.157	471.24	6082-T6
2596	152.00	6.35	7.882	477.52	6082-T6
2497	152.40	3.18	4.044	478.78	6061-T6
2561	152.40	6.35	7.903	478.78	6063-T5
2347	152.40	6.35	7.903	478.78	6082-T6511
2456	152.40	9.52	11.592	478.78	6061-T6
2406	152.40	12.70	15.119	478.78	6061-T6
2372	152.40	25.40	27.490	478.78	6061-T6
2482	160.00	10.00	12.782	502.65	6061-T6
2132	168.28	3.40	4.791	528.65	6061-T6
2493	168.28	7.11	9.765	528.67	6061-T6
2441	170.00	10.00	13.635	534.07	6061-T6
2591	177.80	6.35	9.278	558.58	6061-T6
2348	177.80	12.70	17.869	558.58	6082-T6511
2435	180.00	4.00	6.000	565.49	6061-T6
2592	190.50	6.35	9.965	598.47	6061-T6
2430	200.00	10.00	16.192	628.32	6082-T6
2593	203.20	6.35	10.625	598.47	6061-T6
2368	203.20	12.70	20.618	638.37	6061-T6



ROUND TUBE

Group No.:
RT-G1



SECTION	D	T	WEIGHT	AP	ALLOY TYPE
NO.	(mm)	(mm)	(kg/m)	(mm)	& TEMPER
2396	219.08	8.18	14.699	688.24	6061-T6511
2391	219.10	8.18	14.703	688.32	6061-T6
2390	219.10	12.70	22.338	688.32	6061-T6
2369	228.60	12.70	23.367	718.17	6061-T6
2594	238.60	6.35	12.568	749.58	6061-T6
2595	254.00	6.35	13.401	797.96	6061-T6
2370	254.00	12.70	26.116	797.96	6061-T6
2389	273.10	9.30	20.907	857.97	6061-T6