




TEE

Group No.:
T-G1



Legend:

6060/6063 = r0.3

6061/6082 = r0.5

SECTION NO.	A (mm)	T (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
5537	12.70	1.00	0.066	49.77	6063-T5
5501	19.05	1.10	0.110	75.43	6063-T5
5509	19.05	3.00	0.285	75.43	6063-T5
5554	20.00	1.60	0.166	78.97	6063-T5
5548	20.00	3.00	0.301	78.97	6063-T5
5541	25.00	1.60	0.210	98.97	6063-T5
5542	25.00	3.00	0.382	98.97	6063-T5
5528	25.40	0.90	0.122	100.57	6063-T5
5503	25.40	1.27	0.170	100.83	6063-T5
5504	25.40	1.57	0.210	101.60	6063-T5
5511	25.40	2.90	0.376	100.83	6063-T5
5533	38.10	2.80	0.557	151.37	6063-T5
5555	40.00	1.60	0.340	158.97	6063-T5
5543	40.00	3.00	0.626	158.97	6063-T5
5545	50.00	4.00	1.041	198.97	6063-T5
5517	50.00	5.00	1.288	198.28	6060-T66
5529	50.80	2.80	0.750	202.17	6063-T5
5510	50.80	5.00	1.310	202.43	6063-T5




TEE

Group No.:
T-G2

Legend:

6060/6063 = r0.3

6061/6082 = r0.5



SECTION NO.	A (mm)	B (mm)	R (mm)	T (mm)	t (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
5512	15.00	15.00	0.50	1.50	1.50	0.116	58.28	6060-T6
5513	20.00	20.00	0.50	1.50	1.50	0.156	78.28	6060-T6
5609	20.00	40.00	4.00	4.00	4.00	0.625	115.28	6061-T6
5549	25.00	20.00	0.30	3.00	3.00	0.342	88.97	6063-T5
5546	32.00	32.00	0.30	4.00	3.00	0.575	126.97	6063-T5
5516	38.10	38.10	5.00	4.50	4.50	0.903	146.82	6061-T6
5532	38.10	38.10	4.78	4.78	4.78	0.951	147.01	6063-T52
5521	38.10	50.80	5.00	6.00	6.00	1.377	172.22	6061-T6
5610	38.10	76.20	5.00	4.76	4.76	1.443	223.02	6061-T6
5552	38.10	76.20	5.00	6.00	6.00	1.791	223.02	6061-T6
5544	40.00	40.00	3.00	4.00	4.00	0.835	156.65	6063-T5
15170	40.00	60.00	20.30	3.00	3.50	1.330	181.59	6082-T6
15171	40.00	70.00	18.00	3.00	4.00	1.429	203.27	6082-T6
5527	40.00	80.00	5.00	6.00	6.00	1.883	234.42	6061-T6
15173	45.00	90.00	17.50	3.00	5.00	1.902	253.69	6082-T6
5558	45.00	100.00	0.50	5.00	8.00	2.671	288.28	6061-T6
15176	45.00	100.00	19.75	3.00	5.50	2.266	271.77	6082-T6
5536	50.00	100.00	5.00	5.00	5.00	1.995	294.42	6061-T6
5557	50.00	120.00	21.75	3.00	6.50	3.019	320.05	6082-T6
15174	50.00	120.00	21.80	3.00	6.50	3.021	320.01	6082-T6
5551	50.00	125.00	5.00	6.00	4.00	2.133	344.42	6061-T6
5538	50.00	125.00	5.00	8.00	8.00	3.652	344.42	6061-T6
5553	50.00	140.00	5.00	12.00	6.00	3.739	374.42	6061-T6
15175	50.00	140.00	21.25	4.00	7.50	3.834	360.48	6082-T6
5547	50.00	156.00	4.00	6.00	6.00	3.273	407.28	6061-T6
5526	50.00	200.00	5.00	10.00	6.00	4.477	494.42	6061-T6
5534	50.80	38.10	4.78	4.78	4.78	1.115	172.41	6061-T6511
5520	50.80	50.80	4.00	4.50	4.50	1.203	198.48	6061-T6
5535	50.80	50.80	5.00	5.00	5.00	1.338	197.62	6061-T6




TEE

Group No.:
T-G2

Legend:

6060/6063 = r0.3

6061/6082 = r0.5



SECTION NO.	A (mm)	B (mm)	R (mm)	T (mm)	t (mm)	WEIGHT (kg/m)	AP (mm)	ALLOY TYPE & TEMPER
5515	50.80	50.80	5.00	6.00	6.00	1.584	197.62	6061-T6
5531	50.80	50.80	6.35	6.35	6.35	1.687	196.46	6061-T6511
5522	50.80	63.50	5.00	6.00	6.00	1.791	223.02	6061-T6
5524	50.80	76.20	5.00	6.00	6.00	1.998	248.42	6061-T6
5523	50.80	101.60	5.00	6.00	6.00	2.411	299.22	6061-T6
5514	63.50	63.50	5.00	6.00	6.00	1.998	248.42	6061-T6
5530	65.00	100.00	5.00	6.00	6.00	2.616	324.42	6061-T6
5540	65.00	125.00	6.00	10.00	8.00	4.300	373.56	6061-T6
5608	70.00	70.00	5.00	6.00	6.00	2.209	274.42	6061-T6
5519	75.00	125.00	5.00	8.00	6.00	3.560	394.42	6061-T6
5539	76.20	76.20	5.00	6.00	6.00	2.411	299.22	6063-T5
5559	76.20	101.60	0.50	6.00	8.00	3.314	353.88	6061-T6
5561	80.00	80.00	3.00	8.00	8.00	3.295	312.27	6082-T6
5560	80.00	133.00	3.00	8.00	5.00	3.428	418.27	6082-T6
5525	80.00	156.00	6.00	6.00	6.00	3.777	462.99	6082-T6
5518	100.00	125.00	5.00	6.00	6.00	3.593	444.42	6061-T6
5556	110.00	150.00	5.00	10.00	4.00	4.531	514.42	6063-T5